

# HEAT PRESS GUIDE

Your guide  
to our favorite  
heat presses!



# SMALL FORMAT SWING-AWAY HEAT PRESSES

STAHL'S  
Hotronix



JPPLUS  
TOP PICK!

## Fusion IQ® 16" x 20"

**BEST SELLER**  
**MOST VERSATILE**  
**PROGRAMMABLE**

- Touch screen settings
- Top choice for garments
- Industry-exclusive Threadability™ with a pull-out platen
- Live digital spec readouts
- Optional quick-change lower platens

Geo  
Knight



JPPLUS  
TOP PICK!

## DK20S 16" x 20"

**BEST SELLER**  
**DURABLE & RELIABLE**  
**EVEN PRESSURE & HEATING**

- Fully digital temperature control
- Automatic digital timer
- Heavy-duty steel-welded framework
- 70 programmable presets
- Front or rear loading design
- Easy-to-use system

Geo  
Knight



JPPLUS  
TOP PICK!

## DK14S 12" x 14"

**BEST SELLER**  
**COMPACT & PORTABLE**  
**EVEN PRESSURE & HEATING**

- Perfect for beginners
- Automatic digital timer
- Heavy-duty steel-welded framework
- 70 programmable presets
- Portable for events
- Easy-to-use system

Geo  
Knight



## DC16 14" x 16"

**ENTRY LEVEL**  
**DURABLE & RELIABLE**  
**EVEN PRESSURE & HEATING**

- Fully digital
- Interchangeable heat platens
- Heavy-duty steel-welded framework
- Easy-to-use system
- Programmable presets

HIX  
GRAPHICS



## SwingMan 15 15" x 15"

**PORTABLE FOR EVENTS**  
**ENTRY LEVEL**  
**EVEN PRESSURE & HEATING**

- Full-range temperature control removes guesswork
- Easy-to-use with short learning curve
- Extremely durable with consistent heat
- Press thicker items up to 1.75" thick

STAHL'S  
Hotronix



## Air Fusion IQ® 16" x 20"

**EVEN PRESSURE & HEATING**  
**AUTOMATIC PRESS**  
**AUTO-ADJUST PRESSURE**

- Adjusts pressure to thickness of substrate automatically taking out guesswork
- Interchangeable platens
- Reduces operator fatigue
- Programmable presets for speed
- Requires an air compressor

Press Model	Hotronix Fusion IQ	DK20S	DK14S
Item #	XFFUSION	SUBDK20S	DK14S
Brand	Hotronix®	Geo Knight	Geo Knight
Platen Size	16" x 20"	16" x 20"	12" x 14"
Press Type	Swing-Away Draw	Swing-Away	Swing-Away
Temperature Range	32° - 430° F	32° - 600° F	32° - 600° F
Dimensions (W x D x H)	36" x 25" x 24"	18" x 40" x 16"	24" x 18" x 18"
Max Material Thickness	5/8"	2"	2"
Electrical	120V / 15A / 1800W and 240V / 15A / 3500W	1800W / 15A / 120V	1200W / 10A / 110V
Weight	137 lb	210 lb	76 lb
Additional Information	Cast-in tubular heating, Powder coated finish, Interchangeable platens	Automatic Timer, Digital Pressure Bar Graph, Interchangeable Tables, SuperCoil-Microwinding Technology,	Automatic timer, SuperCoil-Microwinding heater technology, Records number of pressing cycles
Platen Warranty	Lifetime	Lifetime	Lifetime
Press Warranty	5 yr on frame / 2 yr control board	1 Year	5 yr on frame / 3 yr control board
Programmable Presets	Yes	Yes	No
For Use With	Sublimation / Toner Heat Transfer / Vinyl / DTF / DTG	Sublimation / Toner Heat Transfer / Vinyl / DTF / DTG	Sublimation / Toner Heat Transfer / Vinyl / DTF / DTG
Purchase Includes	Press, power cord, free remote install, free tech support for life of heat press	Press, power cord, free remote install, free tech support for life of heat press	Press, power cord, free remote install, free tech support for life of heat press

Press Model	DC16	SwingMan 15	Air Fusion Table Top
Item #	SUBDC16	HSM15	XRF-TT
Brand	Geo Knight	Hix	Hotronix®
Platen Size	14" x 16"	15" x 15"	16" x 20"
Press Type	Swing-Away	Swing Away	Swing Away
Temperature Range	32° - 600° F	0° - 400° F	32° - 430° F
Dimensions (W x D x H)	22" x 22" x 22"	19" x 28" x 17"	32" x 40" x 57"
Max Material Thickness	2"	1.75"	3/4"
Electrical	1500W / 12A / 110V	120V / 12.5A / 1500W and 220V / 7.5A / 1560W	110V / 20A / 1800W and 220V / 10A / 3500W
Weight	130 lb	57 lb	137 lb
Additional Information	Digital Countdown Timer with Alarm, Adjustable Temperature, Solid steel frame, Silicone pad pressing surface	Heat indicator light and separate handheld digital timer. Perfect for start up businesses or to take to events.	Requires an air compressor. Not included in purchase.
Platen Warranty	Lifetime	1 Year	Lifetime
Press Warranty	1 Year	3 mo on parts & labor	5 yr on framework / 2 yr on circuit board / 1 yr on parts & labor
Programmable Presets	Yes	N/A	Yes
For Use With	Sublimation / Toner Heat Transfer / Vinyl / DTF / DTG	Sublimation / Toner Heat Transfer / Vinyl / DTF / DTG	Sublimation / Toner Heat Transfer / Vinyl / DTF / DTG
Purchase Includes	Press, power cord, free remote install, free tech support for life of heat press	Press, power cord, free remote install, free tech support for life of heat press	Press, power cord, free remote install, free tech support for life of heat press

# SMALL FORMAT SWING-AWAY HEAT PRESSES



## SwingMan 20 16" x 20"

**HEAVY PRESSURE  
DURABLE & RELIABLE  
REDUCE USER FATIGUE**

Touch screen settings  
Apply over 12000 lbs of pressure  
Easy-to-use with limited user force  
Even heating and pressure  
Great for personalizing garments



## Insta 256 16" x 20"

**ENTRY LEVEL  
STANDARD PLATEN  
EASY TO OPERATE**


Swings almost a full 180°  
Evenly distributes pressure  
Changeable lower platen  
Easy-to-use digital controller

# Everything you need for HEAT PRESSES all in one place!

Visit [JPPlus.com](http://JPPlus.com) for product information, technical help or to easily place your order for toner, supplies, papers and so much more!

- THOUSANDS of products
- FREE shipping on orders \$149+
- Educational events & videos
- FAST shipping
- Product tips & templates
- FREE art and design files
- FREE tech support
- Over 50 years of experience
- Giveaways & discounts
- Fun & educational blogs
- Create an account for fast ordering

Press Model	SwingMan 20	Insta 256
Item #	HSM20S	99INSTA256
Brand	Hix	Insta
Platen Size	16" x 20"	16" x 20"
Press Type	Swing-Away	Swing-Away Manual
Temperature Range	0° - 450° F	N/A
Dimensions (W x D x H)	34" x 22" x 20"	32" x 40" x 22"
Max Material Thickness	1.75"	1.375"
Electrical	120V / 14.5A / 1750W and 220V / 10A / 2000W	120V 14.6AMP 1750W and 230V 9.6AMP 2200W
Weight	97 lb	121 lb
Additional Information	High-quality, durable framework made to last press after press.	Interchangeable platens, Stainless Steel ergonomic handle, digital controller, Cast-in tubular heating element, Main power switch
Platen Warranty	1 Year	Lifetime
Press Warranty	3 mo control board	1 Year
Programmable Presets	N/A	No
For Use With	Sublimation / Toner Heat Transfer / Vinyl / DTF / DTG	Sublimation / Toner Heat Transfer / DTF / DTG
Purchase Includes	Press, power cord, free remote install, free tech support for life of heat press	Press, power cord, free remote install, free tech support for life of heat press



# SMALL FORMAT CLAMSHELL HEAT PRESSES

STAHL'S  
Hotronix



JPPLUS  
TOP PICK!



## Auto Open 16" x 20"

**COMPACT DESIGN  
DURABLE & RELIABLE  
QUICK CHANGE PLATEN**

Takes up less space than swing-away  
Interchangeable heat platens  
Wide opening for easy placement  
Digital display of time, temp & pressure  
Easy-to-use system

STAHL'S  
Hotronix



JPPLUS  
TOP PICK!



## Maxx Digital Clam 16" x 20"

**BEST SELLER  
DURABLE & RELIABLE  
EVEN PRESSURE & HEATING**

Fully digital temperature control  
Automatic digital timer  
Heavy-duty steel-welded framework  
70 programmable presets  
Front or rear loading design  
Easy-to-use system



JPPLUS  
TOP PICK!



## Craft Press 9" x 12"

**BEST SELLER  
COMPACT & PORTABLE  
EVEN PRESSURE & HEATING**

Perfect for beginners  
Automatic digital timer  
Heavy-duty steel-welded framework  
70 programmable presets  
Portable for events  
Easy-to-use system

STAHL'S  
Hotronix



## MAXX15 15" x 15"

**ENTRY LEVEL  
DURABLE & RELIABLE  
EVEN PRESSURE & HEATING**

Fully digital  
Interchangeable heat platens  
Heavy-duty steel-welded framework  
Easy-to-use system  
Great for start-ups  
Space-saving design

STAHL'S  
Hotronix



## STX11 Auto Open 11" x 15"

**HANDS-FREE DESIGN  
DURABLE & RELIABLE  
QUICK CHANGE PLATENS**

Touch screen settings  
Pressure adjustment for thicker items  
Magnetic assist lockdown lid  
Optional quick-change lower platens  
Easy-to-read digital controls  
Compact design great for small spaces

HIX  
GRAPHICS



## HT-400E 15" x 15"

**PORTABLE FOR EVENTS  
ENTRY LEVEL  
EVEN PRESSURE & HEATING**

Full-range temperature removes guesswork  
Easy-to-use with short learning curve  
Consistent heat and pressure  
Press thicker items up to 1.75" thick  
No digital controls for easy transport

Press Model	Auto Open Clam 16" x 20"	Maxx Digital Clam 16" x 20"	Craft Press
Item #	STX20	MAXX20	CP912JP
Brand	Hotronix®	Hotronix®	N/A
Platen Size	16" x 20"	16" x 20"	9" x 12"
Press Type	Clamshell	Clamshell	Clamshell
Temperature Range	205° - 420° F	205° - 430° F	205° - 420° F
Dimensions (W x D x H)	25" x 36" x 21"	25" x 36" x 21"	12.75" x 17.25" x 12.5"
Max Material Thickness	1-1/8"	3/4"	1/4"
Electrical	120 volt • 15 amps / 1800 watts - 240 volt • 7.5 amps / 1800 watts	120V / 15A / 1800W and 240V / 7.5A / 1800W	120V AC/6.5A
Weight	100 lb	87 lb	40 lb
Additional Information	Cast-in tubular heating, Powder coated finish, UL/ULC/CE	Cast-in tubular heating, Powder coated finish	UL/ULC/CE/RoHS and CE/NRTLCO Approved, Non-stick, Teflon®-coated heating platen
Platen Warranty	Lifetime	Lifetime	1 Year
Press Warranty	5 yr on frame / 2 yr control board / 1 year on parts & labor	1 yr on parts & labor	1 Year
Programmable Presets	N/A	N/A	N/A
For Use With	Sublimation / Vinyl / Toner Heat Transfer / DTF / DTG	Sublimation / Vinyl / Toner Heat Transfer / DTF / DTG	Sublimation / Vinyl / Toner Heat Transfer / DTF / DTG
Purchase Includes	Press, power cord, free remote install, free tech support for life of heat press	Press, power cord, free remote install, free tech support for life of heat press	Press, power cord, free remote install, free tech support for life of heat press

Press Model	MAXX15	STX11	HT-400E
Item #	MAXX15	STX11	HT400E
Brand	Hotronix®	Hotronix®	Hix
Platen Size	15" x 15"	11" x 15"	15" x 15"
Press Type	Clamshell	Clamshell	Clamshell
Temperature Range	0° - 400° F	205° - 420°F	0° - 400° F
Dimensions (W x D x H)	25" x 36" x 21"	25" x 36" x 21"	21" x 33" x 23"
Max Material Thickness	3/4"	3/4"	1"
Electrical	120V / 15A / 1800W and 240V / 7.5A / 1800W	120V / 8.3A / 1000W and 240V / 4.5A / 1000W	120V / 12.5A / 1500W and 220V / 7.5A / 1560W
Weight	65 lb	59 lb	66 lb
Additional Information	Non-stick, Teflon®-coated heating platen, Smooth-shock opening for easier end-user operation	Made in the USA, Cast-in tubular heating, Powder coated finish, UL/ULC/CE	4" x 5" top pressure plate rather than a single screw - more even pressure on the outside edges of press.
Platen Warranty	Lifetime	Lifetime	1 Year
Press Warranty	1 yr on parts & labor	5 yr on frame / 2 yr control board / 1 year on parts & labor	1 yr on machine / 3 months on parts & labor
Programmable Presets	N/A	N/A	N/A
For Use With	Sublimation / Vinyl / Toner Heat Transfer / DTF / DTG	Sublimation / Vinyl / Toner Heat Transfer / DTF / DTG	Sublimation / Vinyl / Toner Heat Transfer / DTF / DTG
Purchase Includes	Press, power cord, free remote install, free tech support for life of heat press	Press, power cord, free remote install, free tech support for life of heat press	Press, power cord, free remote install, free tech support for life of heat press

# SMALL FORMAT CLAMSHELL HEAT PRESSES



**Evo Pro 15" x 15"**  
**ENTRY LEVEL**  
**AUTO RELEASE**  
**DIGITAL CONTROLS**

Fully digital operations  
 Can't overcook with auto release top  
 Heavy-duty solid-steel framework  
 Evenly distributed pressure  
 Electronic release without the air compressor



**DK16 14" x 16"**  
**HEAVY DUTY**  
**DURABLE & RELIABLE**  
**SUPER PORTABLE**

Takes up less space than swing-away  
 Automatic digital timer  
 Wide opening for easy placement  
 Digital display of time, temp & pressure  
 Easy-to-use system



**STX16 Auto Open 16" x 16"**  
**HANDS-FREE DESIGN**  
**DURABLE & RELIABLE**  
**QUICK CHANGE PLATENS**

Touch screen settings  
 Pressure adjustment for thicker items  
 Magnetic assist lockdown lid  
 Optional quick-change lower platens  
 Easy-to-read digital controls  
 Compact design great for small spaces



**Evo Pro 16" x 20"**  
**EVEN PRESSURE & HEAT**  
**AUTO RELEASE**  
**DIGITAL CONTROLS**

Fully digital operations  
 Can't overcook with auto release top  
 Heavy-duty solid-steel framework  
 Evenly distributed pressure  
 Electronic release without the air compressor



**HT-600 16" x 20"**  
**EVEN PRESSURE & HEAT**  
**AUTO RELEASE**  
**DIGITAL CONTROLS**

Free "splitter" stand for garments  
 Can't overcook with auto release top  
 Heavy-duty solid-steel framework  
 Evenly distributed pressure  
 Electronic release without the air compressor



**Dual Air Fusion IQ 16" x 20"**  
**TWO PLATENS IN ONE MACHINE**  
**DURABLE & RELIABLE**  
**LASER ALIGNMENT SYSTEM**

Fully digital temperature control  
 Automatic digital timer  
 Heavy-duty steel-welded framework  
 70 programmable presets  
 Front or rear loading design  
 Easy-to-use system



**Craft Express 9" x 12"**  
**ENTRY LEVEL**  
**DURABLE & RELIABLE**  
**SPACE SAVING**

Takes up less space than swing-away  
 Interchangeable heat platens  
 Slide out drawer with handle for easy access  
 Digital display of time, temp & pressure

Press Model	Evo Pro	DK16	STX16
Item #	S450	SUBDK16	STX16
Brand	Hix	Geo Knight	Hotronix®
Platen Size	15" x 15"	14" x 16"	16" x 16"
Press Type	Clamshell	Clamshell Manual	Clamshell
Temperature Range	0° - 400° F	32° - 600° F	205° - 420° F
Dimensions (W x D x H)	21" x 33" x 23"	17" x 32" x 16"	36" x 25" x 21"
Max Material Thickness	1/2"	2"	3/4"
Electrical	120V / 14.5A / 1750W and 220V / 10A / 2000W	1500W / 12A / 110V	120V / 15A / 1800W and 240V / 7.5A / 1800W
Weight	72 lb	83 lb	77 lb
Additional Information	Free splitter stand allows you to "dress" shirts over the platen keeping the back away from the heat	Automatic Timer, Digital Pressure Bar Graph, Interchangeable Tables, SuperCoil-Microwinding Heater Technology, Self Lifting Gas Spring,	Made in the USA, Cast-in tubular heating, Powder coated finish, UL/ULC/CE
Platen Warranty	1 Year	Lifetime	Lifetime
Press Warranty	1 yr on machine / 3 months on parts & labor	1yr on parts & labor	5 yr on frame / 2 yr control board / 1 year on parts & labor
Programmable Presets	Yes	No	N/A
For Use With	Sublimation / Vinyl / Toner Heat Transfer / DTF / DTG	Sublimation / Vinyl / Toner Heat Transfer / DTF / DTG	Sublimation / Vinyl / Toner Heat Transfer / DTF / DTG
Purchase Includes	Press, power cord, free remote install, free tech support for life of heat press	Press, power cord, free remote install, free tech support for life of heat press	Press, power cord, free remote install, free tech support for life of heat press

Press Model	Evo Pro	HT-600	Dual Air Fusion IQ	Craft Express 9"x12"
Item #	S650	HT600	XRF2	CE-CHP912
Brand	Hix	Hix	Hotronix®	Craft Express
Platen Size	16" x 20"	16" x 20"	16" x 20"	9" x 12"
Press Type	Clamshell	Clamshell - Manual	Clamshell - Automatic	Pullout, Clamshell
Temperature Range	0° - 450° F	0° - 450° F	32° - 430° F	32° - 482° F
Dimensions (W x D x H)	21" x 33" x 23"	21" x 33" x 23"	45.5" x 45.5" x 33.5"	26" x 20" x 28.15"
Max Material Thickness	1/2"	1/2"	3/4"	.79"
Electrical	120V / 14.5A / 1750W and 220V / 10A / 2000W	120V / 14.5A / 1750W and 220V / 10A / 2000W	240V / 15A / 3500W	800W / 110V & 220V
Weight	83 lb	82 lb	260 lb	40 lb
Additional Information	Freedom of loading printer while the last print is curing, eliminates risk of overheating transfer.	Spring assist & full range pressure adjustment. Even pressure on thicker items, adds 20% more pressure.	Automatically adjusts time & pressure as it shuttles between workstations. Smooth, quiet, effortless operation.	Compatible with DTF printing
Platen Warranty	1 Year	1 Year	Lifetime	N/A
Press Warranty	3 months on parts & labor	3 mo on parts & labor	5 yr on frame / 2 yr control board / 1 year on parts & labor	1 Year
Programmable Presets	Yes	N/A	Yes	No
For Use With	Sublimation / Vinyl / Toner Heat Transfer / DTF / DTG	Sublimation / Vinyl / Toner Heat Transfer / DTF / DTG	Sublimation / Toner Heat Transfer / DTF / DTG	Sublimation / Toner Heat Transfer / DTF / DTG
Purchase Includes	Press, power cord, free remote install, free tech support for life of heat press	Press, power cord, free remote install, free tech support for life of heat press	Press, power cord, free remote install, free tech support for life of heat press	Press, power cord, free remote install, free tech support for life of heat press

# MEDIUM FORMAT SWING-AWAY HEAT PRESSES

# SPECIALTY HEAT PRESSES



## DK25SP 20" x 25"

**EVEN PRESSURE & HEATING  
AUTOMATIC PRESS  
LARGE PLATEN**

- Air-operated automatic press
- Fully digital time, temp and pressure
- State-of-the-art control system
- Heavy-duty solid-steel framework
- Evenly distributed pressure
- Cycle counter to track job



## SwingMan 25 20" x 25"

**OVERSIZED DESIGNS  
WIDE OPENING  
EVEN PRESSURE & HEATING**

- Full-range temperature
- Great for cut-and-sew apparel
- Extremely durable
- Press multiple items at once
- Touch screen with digital time, temp, and pressure



## Digital Press 26" x 32"

**HIGH PRODUCTION  
XL PROJECTS  
MAXIMUM PRODUCTION**

- Air-operated automatic press
- Affordable large format price
- Heavy-duty solid-steel framework
- Evenly distributed pressure
- Press extra large items once
- Air Compressor Required



## JP700 Drinkware Press

**BEST SELLER  
VARIABLE TEMPERATURE  
MULTIPLE ATTACHMENTS**

- Comes with seven attachments
- Easy-to-use system
- One of the most popular heat press machines available
- Press mugs, tall and short latte mugs, water bottles, tumblers and shot glasses



## DK3 Mug Press

**MUG SPECIFIC PRESS  
CONSTANT TEMPERATURE  
EASY TO OPERATE**

- Handle to handle and top to bottom image
- Opens extra wide for easy and fast loading and unloading
- Features a liner for less than perfectly straight mugs
- Easy-to-use system



## Hobby Mug Press

**MUG SPECIFIC PRESS  
ENTRY LEVEL  
COMPACT DESIGN**

- Dual Pressure Adjustment
- Easy-to-use system
- 5 Prongs, 304 Stainless steel clamps
- Touch Screen Panel for Time and Temperature Control
- Comfort Grip



## Elite Pro Max

**MULTIPLE ATTACHMENTS  
ENTRY LEVEL  
COMPACT DESIGN**

- Comes with two attachments
- Dual Pressure Adjustment
- Easy-to-use system
- Touch Screen Panel for Time and Temperature Control
- Comfort Grip

Press Model	DK25SP	SwingMan 25	Digital Press
Item #	SUBDK25SP	HSM25S	DK32AP
Brand	Geo Knight	Hix	Geo Knight
Platen Size	20" x 25"	20" x 25"	26" x 32"
Press Type	Swing-Away Automatic	Swing-Away	Swing-Away Automatic
Temperature Range	32° - 600° F	32° - 450° F	32° - 600° F
Dimensions (W x D x H)	36" x 36" x 48"	31" x 43" x 25"	48" x 40" x 55"
Max Material Thickness	1"	1.75"	2"
Electrical	4500W/21A/220V	220V / 10A / 2000W	5600W / 25A / 220V (1PH)
Weight	485 lb	135 lb	790 lb
Additional Information	Interchangeable Tables, SuperCoil-Microwinding Heater Technology, 70 Programmable Presets	Digital Countdown Timer with Alarm, Adjustable Temperature, Solid steel frame, Silicone pad pressing surface	Needs an Air Compressor. Not Included with Purchase.
Platen Warranty	Lifetime	1 Year	Lifetime
Press Warranty	1 Year	3 mo on parts	1 yr on control / 1 yr on parts
Programmable Presets	Yes	Yes	Yes
For Use With	Sublimation / Toner Heat Transfer / DTF / DTG	Sublimation / Toner Heat Transfer / Vinyl / DTF / DTG	Sublimation / Toner Heat Transfer / Vinyl / DTF / DTG
Purchase Includes	Press & stand, power cord, free remote install, free tech support for life of heat press	Press, power cord, free remote install, free tech support for life of heat press	Press, power cord, free remote install, free tech support for life of heat press

Press Model	JP450 Mug Press	DK3 Mug Press	Hobby Mug Press	Elite Pro Max
Item #	JP700	99DK3	CE-HMP11	CE-EPMTHP3040
Brand	Johnson Plastics Plus	Geo Knight	Craft Express	Craft Express
Platen Size	5" H and 1/2" from handle	5" H and 1/2" from handle	5" H	5" H
Press Type	Mug / Drinkware	Mug / Drinkware	Mug / Drinkware	Mug / Drinkware
Temperature Range	Up to 420° F	Up to 420° F	Up to 482° F	Up to 482° F
Dimensions (W x D x H)	16" x 15" x 14"	15" x 13" x 15"	11.81" x 7.08" x 8.66"	11.69" x 16.14" x 11.69"
Max Material Thickness	6oz, 11oz, 15oz, 16oz, 20oz, 30oz	11oz., 15oz. and 16oz	11oz	11oz Mugs 30oz & 40oz Tumblers
Electrical	320W / 220V & 110V	450W / 4A / 120V	300W / 220V & 110V	750W / 220V & 110V
Weight	24 lb	26 lb	9 lb	22 lb
Additional Information	Cylindrical only Multiple attachments available	Cylindrical only	Cylindrical only 5 Prong Attachments	Cylindrical Only 5 Prong Attachments
Platen Warranty	3 month	3 year	N/A	N/A
Press Warranty	3 month control box 1 year for frame	3 month control box 1 year for frame	1 Year	1 Year
Programmable Presets	No	Yes	No	No
For Use With	Sublimation / Toner Heat Transfer / Vinyl	Sublimation / Toner Heat Transfer / Vinyl	Sublimation / Toner Heat Transfer	Sublimation / Toner Heat Transfer
Purchase Includes	Press, power cord, free remote install, free tech support for life of heat press	Press, power cord, free remote install, free tech support for life of heat press	Press, power cord, 11oz mug heating attachment, free remote install, free tech support for life of heat press	Press, power cord, 30oz and 40oz attachments, free remote install, free tech support for life of heat press

# CAP/HAT HEAT PRESSES



**JPPLUS  
TOP PICK!**



## DK7 Digital Cap Press

**PROGRAMMABLE  
SAVES TIME  
CHANGEABLE PLATENS**

- Artwork easily stays in place
- Interchangeable heat platens
- Heavy-duty steel framework
- Easy-to-use system
- 70 programmable presets
- Digital settings

## STXC Auto Cap Press

**CHANGEABLE PLATENS  
ENTRY LEVEL  
AUTO OPEN**

- Magnetic auto open
- Magnetic assist lock down
- Digital time, temp, & pressure controls
- Wide opening for easy layout
- Optional quick-change lower platens

## 360 IQ Cap Press

**ALL-IN-ONE SYSTEM  
PRINT 360  
EASY-TO-USE**

- Print to all sides of a hat
- No extra platens needed
- Top and bottom platens are heated for best results
- Extremely versatile
- Portable for events


## B-250 Cap Press

**PORTABLE  
ENTRY LEVEL  
EASY-TO-USE**

- Lightweight for events
- Comes with three platens
- Four programmable presets
- Touch screen control
- Adjustable bottom platen
- Eliminates art shifting

Press Model	DK7 Digital Cap	Hotronix Auto Cap	360 IQ Hat Press	B-250 Cap Press
Item #	99DK7	STXC	STXCP-10	B250
Brand	Geo Knight	Hotronix®	Hotronix®	Hix
Platen Size	4" x 7"	3.5" x 6"	6" x 5"	3" x 3.5"
Press Type	Cap/Hat Press	Cap/Hat Press	Cap/Hat Press	Cap/Hat Press
Temperature Range	32° - 600° F	205° - 420°F.	100° - 430° F	0° - 450° F
Dimensions (W x D x H)	19" x 12" x 18"	26" x 15" x 21"	18" x 12" x 20"	16" x 19" x 19"
Electrical	450W / 4A / 110V	500W / 4A / 120V 500W / 2A / 240V	120V or 240V	120V / 4A / 450W and 220V / 2A / 430W
Weight	51 lb	30 lbs	44 lb	23 lb
Additional Information	Fast heat up time with even heat through platen.	Wide range of platens to swap out, making it more versatile.	Press multiple locations of a hat. Most versatile.	Extremely lightweight to take on the go to events.
Platen Warranty	Lifetime	Lifetime	Lifetime	1 Year
Press Warranty	5 yr on frame / 3 yr on controller / 1 yr parts	5 yr on frame / 2 yr circuit board	5 yr on frame / 2 yr on circuit board / 1 yr on parts	3 mo on parts
Programmable Presets	Yes - 70	Yes	Yes	Yes
For Use With	Sublimation / Toner Heat Transfer / Vinyl / DTF	Sublimation / Toner Heat Transfer / DTF	Patches / Toner Heat Transfer / Vinyl / DTF	Patches / Sublimation / Toner Heat Transfer / Vinyl / DTF
Purchase Includes	Press, power cord, free remote install, free tech support for life of heat press	Press, power cord, free remote install, free tech support for life of heat press	Press, power cord, free remote install, free tech support for life of heat press	Press, power cord, free remote install, free tech support for life of heat press

# JOHNSON PLASTICS PLUS



*visit*

**JPPLUS.COM**

1-800-869-7800

