

Source Substrates.

2120 Noisette Blvd. Suite 109,
N. Charleston, SC. 29405
ATTN: Jackson Burnett
EMAIL: jackson@vaporapparel.com

February 26, 2014

IDENTIFICATION SUBMITTED BY CLIENT

DESCRIPTION : BABYBIB – Baby Bibs
FIBER CONTENT : 100% Polyester
COLOR : White
COUNTRY OF ORIGIN : El Salvador



TEST RESULTS

Mechanical Hazards: Sharp Point, Sharp Edge and Small Parts

Procedure: The submitted samples were tested for 16 CFR 1500.48 Sharp Point, 16 CFR 1500.49 Sharp Edges and 16 CFR 1501 Small Parts before and after simulated use & abuse tests as set forth in 16 CFR 1500.50.

Product Description: BABYBIB – Baby Bibs

Labeled Age Group*: No Age Grading

Applicant's Specified Age Group for Testing*: All Ages

Use and Abuse conditioning per: 16 CFR 1500.51-53

Test Results:

Use/Abuse Tests	Sections	Sharp Point (16 CFR 1500.48)	Sharp Edge (16 CFR 1500.49)	Small Parts (16 CFR 1501)
As Received		P	NA	P
After Use and Abuse Conditioning				
Impact	1500.53 (b)	P	NA	P
Bite	1500.53 (c)	NA	NA	NA
Flexure	1500.53 (d)	NA	NA	NA
Torque	1500.53 (e)	P	NA	P
Tension ¹	1500.53 (f)	P	NA	P
Compression	1500.53 (g)	NA	NA	NA

P = Pass F = Failed NA= Not Applicable

¹Tension test applied to the same samples tested under torque

Conclusion: When tested as specified, the submitted sample (s) **does meet** the requirements of U.S. Federal Hazardous Substances Act sections 16 CFR 1500.48 for Sharp points, 16 CFR 1500.49 for Sharp edges, and 16 CFR 1501 for Small Parts.

16 CFR 1610 WEARING APPAREL FLAMMABILITY

Based on the Fiber Content of the sample in White color: 100% Polyester

This sample is deemed exempt from flammability testing in accordance with 16 CFR 1610.37(3)(d) and which states:

Exemption. Experience gained from years of testing in accordance with the Standard demonstrates that certain fabrics consistently yield acceptable results when tested in accordance with the Standard. Therefore, persons and firms issuing an initial guaranty of any of the following types of fabrics, or of products made entirely from one or more of these fabrics, are exempt from any requirement for testing to support quarantines of those fabrics.

1. Plain surface fabrics, regardless of fiber content, weighing 3.0 ounces per square yard or more; and
2. All fabrics both plain surface and raised-fiber surface, regardless of weight, made entirely from any of the following fibers or entirely from combination of the following fibers: acrylic, modacrylic, nylon, olefin, polyester, wool.

**IF YOU NEED ASSISTANCE IN INTERPRETING THESE TESTS RESULTS
OR IF YOU HAVE ANY QUESTIONS, PLEASE FEEL FREE TO CALL:
CUSTOMER SERVICE DEPARTMENT.
INTERTEK CONSUMER GOODS**



Tom Kaminski
Jr. Account Manager
PF



Duraisamy Ravichandran
Manager, Operations

This report is made solely on the basis of your instructions and/or information and materials supplied by you. It is not intended to be a recommendation for any particular course of action. Intertek does not accept a duty of care or any other responsibility to any person other than the Client in respect of this report and only accepts liability to the Client insofar as is expressly contained in the terms and conditions governing Intertek's provision of services to you. Intertek makes no warranties or representations either express or implied with respect to this report save as provided for in those terms and conditions. We have aimed to conduct the Review on a diligent and careful basis and we do not accept any liability to you for any loss arising out of or in connection with this report, in contract, tort, by statute or otherwise, except in the event of our gross negligence or willful misconduct.