Single Panel Throw Tech Tips



SINGLE PANEL THROW - DTF

ITEM # SUBTHROW1L



GENERAL DTF TRANSFER PROCESS

Recommended Equipment & Accessories

- DTF Printer
- DTF Printer paper (see your printer's manufacturer for recommendations)
- DTF powder
- Standard Flat Heat Press- Swing-away style press recommended
- Heat Tape
- Teflon sheet
- Finishing Sheet
- Heat gloves

Recommended Settings	
Refer to the DTF Paper Instructions for best results.	
Time	20-30 seconds
Temperature	320° F
Pressure	Medium-High
Peeling	Cold Peel

General DTF Instructions

- Follow the DTF Paper Instructions for best results.
- Print artwork on DTF Printer
- Apply DTF adhesive powder to artwork and cure according to DTF powder application instructions.
- Adjust press pressure to medium/high
- Preheat the heat press to 320°F or temperature specified per paper instructions.
- Print and place transfer sheet face down onto the surface of the product blank. Secure transfer with heat tape.
- Place the product blank with attached transfer sheet onto the heat press platen with the transfer paper on top.
- Place a piece of Teflon on top of the transfer paper.
- Close and press for the recommended time.
- When finished, open the press and remove the Teflon sheet.
- Using heat gloves, remove the product from the press.
- Peel the transfer paper off the surface of the product while the product surface is cool to the touch.

Tips and Tricks

• For best image placement, utilize the product template found on the product page on JPPlus.com.

Troubleshooting

- The image did not completely transfer to the product.
 - o Slightly increase the press pressure.
 - o The product may still be too warm when peeled. Wait a little more time before peeling the transfer paper.
- Ensure that the DTF paper used is compatible with the product material.

Templates and Images

• Visit jpplus.com to find the product page for this item. The product template may be found under the Tech Docs and Downloads area of the page.

To order more of this product, see similar products and much more, please visit jpplus.com.

For additional product support and troubleshooting, please contact JPPlus Advanced Support Team:

- Phone: 419-500-4877
- Email: ast@jpplus.com
- Schedule an appointment: https://jpplusadvancedsupport.setmore.com/