SAFETY DATA SHEET

SECTION 1 – COMPANY AND PRODUCT IDENTIFICATION

Johnson Plastics Plus 12450 Oliver Ave S, Suite 100 Burnsville, MN 55337

Date: 5/22/2018 **Phone:** (623)879-0005

Laser Bits Pro Color

CLB1030 Dark Brown

CLB1191 Yellow

CLB1556 Cobalt Blue

CLB1566 Light Blue

CLB1200 Black

CLB1250 Green

CLB1276 Orange

CLB1277 Red

CLB1380 White

CLB1401 Purple

CLB1562 Pink

CLB3017 Pro Sealer

CLB4003 Bronze

CLB4006 Copper

CLB4010 Gold

CLB4025 Silver

CLB8380 SUS300 Bright White

CLB8050 SUS301 Classic Blue

CLB8210 SUS302 Classic Red

CLBMGLD SUS303 Bright Gold

CLBMSLV SUS304 Bright Silver

SECTION 2 - HAZARD IDENTIFICATION

GHS CLASSIFICATION (EC 12/72/2008 and 29CFR 1910.1200)

Not a hazardous mixture. No label elements required.

HAZARDS NOT OTHERWISE CLASSIFIED:

Irritation of the nose, throat and lungs is associated with excessive exposure to ammonia, which may occur when large volumes of product are used in an area with limited ventilation.

CLB1030 Dark Brown: WARNING: This product contains a chemical known to the State of California to cause cancer. (Applies to airborne particles of respirable size only)

SECTION 3 - HAZARDOUS COMPONENT INFORMATION

Products contain no hazardous components above reporting thresholds.

SECTION 4 - FIRST AID MEASURES

EYE CONTACT: Flush with water for 15 minutes. SEE DOCTOR if any symptoms persist.

SKIN CONTACT: Wash with soap and water. SEE DOCTOR if skin irritation occurs.

INHALATION: Remove subject to fresh air. SEE DOCTOR if symptoms persist

INGESTION: If swallowed, dilute by giving 2 or more glasses of water to drink ONLY IF CONSCIOUS!

SEE DOCTOR.

SECTION 5 - FIRE FIGHTING MEASURES

FLASH POINT: None METHOD USED: N/A

FLAMMABLE LIMITS IN AIR BY VOLUME: LOWER: N/A UPPER: N/A

EXTINGUISHING MEDIA: Carbon dioxide, water spray, foam or dry chemical.

SPECIAL FIRE FIGHTING PROCEDURES: Use self-contained breathing apparatus and full protective

clothing.

UNUSUAL FIRE AND EXPLOSION HAZARDS: Decomposition and combustion products may be toxic.

SECTION 6 – ACCIDENTAL RELEASE MEASURES

Contain spill. Recover material for use or proper disposal. Clean reside with aqueous mopping.

SECTION 7 - HANDLING AND STORAGE

For best product stability, avoid freezing and higher than normal ambient temperatures.

SECTION 8 - EXPOSURE CONTROL/PERSONAL PROTECTION

RESPIRATORY PROTECTION: None required under normal use. When sanding or spraying, use a NIOSH P100 dust and mist respirator. If conditions warrant, a vapor respirator for protection against ammonia may be used.

VENTILATION: General dilution ventilation is recommended at a level sufficient to keep individuals asymptomatic to inhalation exposure.

PROTECTIVE GLOVES: None required under normal use. For techniques requiring continual hand exposure, gloves are recommended.

OTHER PROTECTIVE CLOTHING OR EQUIPMENT: None required under normal use.

WORK/HYGIENIC PRACTICES: Use in accordance with safe handling practices, including: do not eat, drink or smoke when working with materials, avoid excessive skin contact, wash after working with materials.

SECTION 9 - PHYSICAL/CHEMICAL PROPERTIES

BOILING POINT: $>100^{\circ}\text{C}/212^{\circ}\text{F}$ **SPECIFIC GRAVITY (H₂0=1):** 1.1-1.3

VAPOR DENSITY: Heavier than air **pH:** 8.5-9.2

SOLUBILITY IN WATER: Miscibile

APPEARANCE AND ODOR: Colored viscous liquid- slight ammonia odor

SECTION 10 - STABILITY AND REACTIVITY

STABILITY: Stable

INCOMPATIBILITY: None known.

HAZARDOUS DECOMPOSITION OR BYPRODUCTS: No Data

SECTION 11 – TOXICOLOGICAL INFORMATION

No product information available. Non-classification based on component information.

SECTION 12 – ECOLOGICAL INFORMATION

Not readily biodegradable. No other data available.

SECTION 13 – DISPOSAL CONSIDERATIONS

Dispose as per local regulations. It is best to use all material, rather than dispose of it. If necessary, dispose of as latex paint.

SECTION 14 -TRANSPORT INFORMATION

Not hazardous for shipping via any mode (IATA, IMDG, DOT)

SECTION 15 – REGULATORY INFORMATION

Contact us for further information.

SECTION 16 – OTHER INFORMATION

NA