

Test Report

No. CANHG2615012202

Date: 15 Jan 2026

Page 1 of 3

This report is to supersede test report CANHG25156716602

The following sample(s) was/were submitted and identified on behalf of the clients as : 12oz Enamel Mug

SGS Job No. : GZHL2615012202CW - GZ
Tested Sample Info. : Style / Item No.: TC03N
Client Ref. Info. : TC01
Date of Sample Received : 06 Jan 2026
Testing Period : 06 Jan 2026 - 14 Jan 2026
Test Requested : Selected test(s) as requested by client.
Test Method : Please refer to next page(s).
Test Results : Please refer to next page(s).

Result Summary :

Test Requested	Conclusion
European Council Directive 84/500/EEC & its amendment 2005/31/EC – Leachable Lead and Cadmium	PASS
Leachable Cobalt	PASS

Signed for and on behalf of
SGS-CSTC Standards Technical Services Co., Ltd. Guangzhou Branch



Ivy Ren
Approved Signatory

Test Report

No. CANHG2615012202

Date: 15 Jan 2026

Page 2 of 3

Test Results :

Test Part Description :

Specimen No.	SGS Sample ID	Description	Material (claimed by the client)
SN1	CAN26-150122.001	Enamel mug(inner)	Enamel

European Council Directive 84/500/EEC & its amendment 2005/31/EC – Leachable Lead and Cadmium

Test Method : With reference to European Directive 84/500/EEC and its amendment 2005/31/EC. Analysis was performed by ICP-OES.

Sample 001 Category 2

	<u>Vol. of 4%HAc used (mL)</u>	<u>Depth (mm)</u>
1	350	78
	<u>Leachable Lead (mg/L)</u>	<u>Leachable Cad- mium (mg/L)</u>
1	<0.1	<0.01
Limit	4.0	0.3

Notes :

Category 1: Articles that cannot be filled and articles that can be filled, the internal depth of which does not exceed 25 mm.

Category 2: Articles, not in categories 1 or 3, which can be filled.

Category 3: Cooking ware; packaging and storage vessels having a capacity of more than three liters.

Leachable Cobalt

Test Method : With reference to European Directive 84/500/EEC and its amendment 2005/31/EC. Analysis was performed by ICP-OES.

Sample 001 Hollow ware

	<u>Vol. of 4%HAc used for vessel (mL)</u>	<u>Depth (mm)</u>
1	350	78

Test Report

No. CANHG2615012202

Date: 15 Jan 2026

Page 3 of 3

Leachable Cobalt

(mg/L)

1 <0.05

Limit 0.05

Notes :

Limit = Recommended Limit

Sample photo:



*** End of Report ***